BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

1 agggagaggc agtgaccatg aaggctgtgc tgcttgcccc gttgatggca

51 ggcttggccc tgcagccagg cactgccctg ctgtgctact cctgcaaagc

101 ccaggtgagc aacgaggact gcctgcaggt ggagaactgc acccagctgg

151 gggagcagtg ctggaccgcg cgcatccgcg cagttggcct cctgaccgtc

201 atcagcaaag gctgcagctt gaactgcgtg gatgactcac aggactacta

251 cgtgggcaag aagaacatca cgtgctgtga caccgacttg tgcaacgcca

301 gcggggccca tgccctgcag ccggctgccg ccatccttgc gctgctccct

351 gcactcggcc tgctgctctg gggacccggc cagctatagg ctctgggggg

401 ccccgctgca gcccacactg ggtgtggtgc cccaggcctt tgtgccactc

451 ctcacagaac ctggcccagt gggagcctgt cctggttcct gaggcacatc

501 ctaacgcaag tttgaccatg tatgtttgca ccccttttcc ccnaaccctg

551 accttcccat gggccttttc caggattccn accnggcaga tcagttttag

601 tganacanat ccgcntgcag atggcccctc caaccntttn tgttgntgtt

651 tccatggccc agcatttttcc acccttaacc ctgtgttcag gcactttttc

701 ccccaggaag ccttcccctgc ccaccccatt tatgaattga gccaggtttg

751 gtccgtggtg tccccccgcac ccagcagggg acaggcaatc aggaggggcc

801 agtaaaggct gagatgaagt ggactgagta gaactggagg acaagagttg

851 acgtgagttc ctgggagttt ccagagattgg ggcctggagg cctggaggaa

901 ggggccaggc ctcacattg tggggttccc gaatggcagc ctgagcacag

951 cgtaggcccc taataaacac ctgttggata agccaaaaaa aaaaaaaa

FIGURE 1A

MNAVLLALLMAGLALQPGTALLCYSCKAQVSNEDCLQV
ENCTQLGEQCWTARIRAVGLLTVISKGCSLNCVDDS
QDYYVGKKNITCCDTDLCNASGAHALQPAAAILALLPAL
GLLLWGPGQL

FIGURE 1B

```
    ATGAAGACAGTTTTTTTTATCCTGCTGGCCACCTACTTAGCCCTGCATCCAGGTGCTGCT
  1 ---------+---------+---------+---------+---------+---------+ 60
    TACTTCTGTCAAAAAAAATAGGACGACCGGTGGATGAATCGGGACGTAGGTCCACGACGA

    M  K  T  V  F  F  I  L  L  A  T  Y  L  A  L  H  P  G  A  A  -

    CTGCAGTGCTATTCATGCACAGCACAGATGAACAACAGAGACTGTCTGAATGTACAGAAC
 61 ---------+---------+---------+---------+---------+---------+ 120
    GACGTCACGATAAGTACGTGTCGTGTCTACTTGTTGTCTCTGACAGACTTACATGTCTTG

    L  Q  C  Y  S  C  T  A  Q  M  N  N  R  D  C  L  N  V  Q  N  -

    TGCAGCCTGGACCAGCACAGTTGCTTTACATCGCGCATCCGGGCCATTGGACTCGTGACA
121 ---------+---------+---------+---------+---------+---------+ 180
    ACGTCGGACCTGGTCGTGTCAACGAAATGTAGCGCGTAGGCCCGGTAACCTGAGCACTGT

    C  S  L  D  Q  H  S  C  F  T  S  R  I  R  A  I  G  L  V  T  -

    GTTATCAGTAAGGGCTGCAGCTCACAGTGTGAGGATGACTCGGAGAACTACTATTTGGGC
181 ---------+---------+---------+---------+---------+---------+ 240
    CAATAGTCATTCCCGACGTCGAGTGTCACACTCCTACTGAGCCTCTTGATGATAAACCCG

    V  I  S  K  G  C  S  S  Q  C  E  D  D  S  E  N  Y  Y  L  G  -

    AAGAAGAACATCACGTGCTGCTACTCTGACCTGTGCAATGTCAACGGGGCCCACACCCTG
241 ---------+---------+---------+---------+---------+---------+ 300
    TTCTTCTTGTAGTGCACGACGATGAGACTGGACACGTTACAGTTGCCCCGGGTGTGGGAC

    K  K  N  I  T  C  C  Y  S  D  L  C  N  V  N  G  A  H  T  L  -

    AAGCCACCCACCACCCTGGGGCTGCTGACCGTGCTCTGCAGCCTGTTGCTGTGGGGCTCC
301 ---------+---------+---------+---------+---------+---------+ 360
    TTCGGTGGGTGGTGGGACCCCGACGACTGGCACGAGACGTCGGACAACGACACCCCGAGG

    K  P  P  T  T  L  G  L  L  T  V  L  C  S  L  L  L  W  G  S  -

    AGCCGTCTGTAGGCTCTGGGAGAGCCTACCATAGCCCGATTGTGAAGGGATGAGCTGCAC
361 ---------+---------+---------+---------+---------+---------+ 420
    TCGGCAGACATCCGAGACCCTCTCGGATGGTATCGGGCTAACACTTCCCTACTCGACGTG

    S  R  L  *

    TCCACCCCACCCCCACACAGG
421 ---------+---------+- 441
    AGGTGGGGTGGGGGTGTGTCC
```

FIGURE 2



FIGURE 3



FIGURE 4



FIGURE 5


prostate (Brutlag)
prostate (dck)
Bladder (Human)
Bladder (dck)
Bladder (Rob)
Kidney (NL404)
Testis
Sm. Intest.
LAPC9

FIGURE 6

FIG. 7A



FIG. 7B





Ly-6/thy-1

FIG. 8A



FIG. 8B

murine PSCA



FIG. 8C

human PSCA



FIGURE 8


PSCA / PSA Expression in Benign Prostate vs. Prostate Cancer Xenograft
Benign
LAPC-4 AD
LAPC-4 AI
Benign
LAPC-4 AD
LAPC-4 AI
PSCA
PSA

FIGURE 9A

~1kb
PANCREAS
KIDNEY
SKELETAL MUSCLE
LIVER
LUNG
PLACENTA
BRAIN
HEART
PERIPHERAL LEUKOCYTES
COLON
SMALL INTESTINE
OVARY
TESTIS
PROSTATE
THYMUS
SPLEEN
PSCA

FIG. 9B



FIG. 10-1



FIG. 10-2



FIG. 10-3

FIG. 11A

FIG. 11B



FIG. 11C

FIG. 12A





FIG. 12B


293T9710030008\FL2-H\FL2-Height
200
100
0
M1
10^0 10^1 10^2 10^3 10^4
293T CONTROL
293T971003010\FL2-H\FL2-Height
200
100
0
M1
10^0 10^1 10^2 10^3 10^4
293T + PSCA
293T971003012\FL2-H\FL2-Height
200
100
0
M1
10^0 10^1 10^2 10^3 10^4
LAPC-4

FIGURE 12C


PSCA Maps to Chromosome 8q24.2
Fluorescent
in Situ Hybridization
Analysis of PSCA

FIGURE 13



FIGURE 14

A

mAb	Isotype		Epitope map FL (18-98)	N (2-50)	M (46-109)	C (85-123)
1G8	IgG1	k	**2.039**	0.007	**0.628**	0.000
2H9	IgG1	k	**1.318**	**0.863**	0.032	0.021
3C5	IgG2a	k	**2.893**	**1.965**	0.016	0.005
3E6	IgG3	k	**0.328**	0.024	**0.069**	**0.370**
4A10	IgG2a	k	**2.039**	**1.315**	0.000	0.014
2A2	IgG2a	k	**1.366**	**0.733**	0.010	0.003
3G3	IgG2a	k	**2.805**	**1.731**	0.004	0.000

B



FIGURE 15

Prostate Stem Cell Antigen (PSCA) is a GPI-anchored Protein



(Reiter, R.E., et al., 1997. *PNAS*)



FIGURE 16


FISH Analysis of PSCA
and c-myc in Prostate Cancer
Gain Chromosome 8
Amplification
#34 c-myc
#75 c-myc
#34 PSCA
#75 PSCA
R. Jenkins

FIGURE 17



FIGURE 18

FIGURE 19

FIGURE 20

PSCA Immunostaining of Primary Tumors



FIGURE 21

FIGURE 22

FIGURE 23

FIGURE 24



FIGURE 25

FIGURE 26



FIGURE 27

PSCA Immunostaining of Bony Metastases



Patient 5: H and E and mAb 1G8

Patient 4: H and E and mAb 3E6

FIGURE 28

FIGURE 29



FIGURE 30



FIGURE 31

FIGURE 32


PSCA Expression in LAPC-9 Xenograft by FACS
Secondary Antibody
1G8
2H9
4A10
3C5
3E6

FIGURE 33


anti-PSCA mAbs
1G8
2H9
3C5
3E6
4A10
48 kd
21.5 kd
12.5 kd
Immuno-
blot:
293T-PSCA

FIGURE 34

Immunofluorescent Staining of LNCaP-PSCA Cells



FIGURE 35

FIGURE 36


anti-PSCA mAbs
Isotype Control
1G8
2H9
3C5
3E6
4A10
21.5 kd
12.5 kd
Immuno-precipitation: 293T-PSCA

FIGURE 37

Immunohistochemical Staining of Normal Prostate

Normal: Isotype Control

Normal: PSCA mAb 3E6

Normal: PSCA mAb 1G8

Atrophy: PSCA mAb 2H9

FIGURE 38

A.



B.



FIGURE 39

Targeting of Mouse PSCA Gene

A



* ex1, 2, and 3 are the exons of PSCA gene.
* Black boxes of ex2 and ex3 encode PSCA mature protein sequences.
* ES genomic DNAs were digested with EcoRI, followed by Southern hybridization using 3' probe.

B. Genomic Southern Analysis of ES Cells



FIGURE 40

Transgenic Mouse Models of Prostate Cancer



Microinjection of transgenes into male pronucleus

Embryo

Offspring expressing oncogene in prostate

Mouse bearing prostate cancer

Transgene	Target tissues	Characteristics
C3(1) (-3 kb)/ SV40 large+small T *Maroulakou et al. 1994 PNAS*	prostate (secretory cells) urethral, mammary and sweat gland	Low-grade PIN 8-12 wks High-grade PIN 8-12 wks Invasive carcinoma 28 wks No metastases
Probasin (-426 bp)/ SV40 large+small T *Greenberg et al. 1995 PNAS*	prostate (secretory cells)	Low-grade PIN 5-8 wks High-grade PIN 8-12 wks Invasive carcinoma 12 wks Metastases in lymph node, lung, liver and bone
Cryptdin2 (-6.5 kb)/ SV40 large+small T *Garabedian et al. 1998 PNAS*	prostate (neuroendocrine cells) small intestine	Low-grade PIN 8-12 wks High-grade PIN 8-12 wks Invasive carcinoma 16 wks Metastases in lymph node, lung, liver and bone

FIGURE 41

Reporter Gene Constructs for Transfection Assay



FIGURE 42



FIGURE 43

Identification of Prostate-Specific Elements Within PSCA Promoter Sequences



FIGURE 44

Update of Transgenic Mouse Projects



Number of Founders (DNA positive)
2
1
6
8
3
9

FIGURE 45

Negative tissues

Stomach
Small intestine
Colon
Seminal Vesicle
Urethra
Testis
Liver
Kidney
Lung
Brain
Heart
Skeletal muscle
Ovary
Uterus

Prostate (A25-106-2)

Bladder (A25-104)

Skin (A25-106-2)

Whole-mount green fluorescence image

Transgenic | Non-transgenic





Northern Analysis



RT-PCR

FIGURE 47

FIG. 48


Mouse IgG Control
Tumor volume (mm3)
1000
750
500
250
0
32
35
39
42
47
54
61
Days
1
2
3
4
5
6
7
8
9
10


Anti-PSCA
Tumor volume (mm3)
1000
750
500
250
0
32
35
39
42
47
54
61
Days
11
12
13
14
15
16
17
18
19
20

FIG. 49

A

mAb	Isotype	Epitope recognized (OD 450 nm) F (18-98)	N (2-50)	M (46-109)	C (85-123)
1G8	IgG1 k	**1.485**	0.004	**1.273**	0.003
2A2	IgG2a k	**0.973**	**0.631**	0.023	0.010
2H9	IgG1 k	**1.069**	**1.026**	0.002	0.001
3C5	IgG2a k	**1.916**	**1.709**	0.006	0.002
3E6	IgG3 k	**1.609**	0.036	**1.133**	**2.118**
3G3	IgG2a k	**2.805**	**1.731**	0.004	0.000
4A10	IgG2a k	**1.053**	**0.493**	0.000	0.001

B



FIG. 50

A



Engineered mammalian secreted form



B



Anti-IgG2a HRP

Anti-PSCA mAbs 3C5+4A10+2A2 (IgG2a)

PSCA

Affinity purified anti-peptide polyclonal
+ mAb 1G8 (IgG1)

FIG. 51

A



B

Sample	OD+range (n=2)	ng/ml
vector	0.005+0.001	ND
vector+hu serum	0.004+0.001	ND
secPSCA	2.695+0.031	32.92
secPSCA+hu serum	2.187+0.029	26.55

FIG. 52


LNCaP/LNCaP-PSCA/293T
Negative Control
LAPC9 AD Xenograft
Negative Control
BPH
Negative Control
Prostate Carcinoma
Negative Control

FIG. 53


Mouse IgG
Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
46
Days
1
2
3
4
5
6
7
8
9
10


Anti-PSCA
Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
46
Days
11
12
13
14
15
16
17
18
19
20


Bovine IgG
Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
Days
21
22
23
24
25

FIG. 54


Mouse IgG
Tumor volume (mm3)
1400
1050
700
350
0
19
22
26
29
34
39
42
Days
1
2
3
4
5
6


1G8 mAb
Tumor volume (mm3)
1400
1050
700
350
0
19
22
26
29
34
39
42
Days
7
8
9
10
11
12
13

FIG. 55


800
600
400
200
0
Tumor volume (mm3)
21
25
28
32
35
39
42
Days
Mouse IgG
2A2


800
600
400
200
0
Tumor volume (mm3)
21
25
28
32
35
39
42
Days
Mouse IgG
2H9

FIG. 56


50
40
30
20
10
0
PSA Level (ng/ml)
3
4
5
6
Weeks
Mouse IgG
2A2


50
40
30
20
10
0
PSA Level (ng/ml)
3
4
5
6
Weeks
Mouse IgG
2H9

FIG. 57


2400
1800
1200
600
0
Tumor volume (mm3)
11
14
18
21
25
28
Days
MIgG
3C5

FIG. 58


TGCTTCTTCCTGATGGCAGTGGTTATAGGAGTCAATTCAGAGGTTCAGCTGCAGCAGTCT 60
C F F L M A V V I G V N S E V Q L Q Q S 20
GGGGCAGAACTTGTGAGGTCAGGGGCCTCAGTCAAGTTGTCCTGCACAGCTTCTGGCTTC 120
G A E L V R S G A S V K L S C T A S G F 40
CDR1
AACATTAAAGACTACTATATACACTGGGTGAATCAGAGGCCTGACCAGGGCCTGGAGTGG 180
N I K D Y Y I H W V N Q R P D Q G L E W 60
CDR2
ATTGGATGGATTGATCCTGAGAATGGTGACACTGAATTTGTCCCGAAGTTCCAGGGCAAG 240
I G W I D P E N G D T E F V P K F Q G K 80
GCCACTATGACTGCAGACATTTTCTCCAACACAGCCTACCTGCACCTCAGCAGCCTGACA 300
A T M T A D I F S N T A Y L H L S S L T 100
CDR3
TCTGAAGACACTGCCGTCTATTACTGTAAAACGGGGGGTTTCTGGGGCCAAGGGACTCTG 360
S E D T A V Y Y C K T G G F W G Q G T L 120
GTCACTGTCTCTGCAGCCAAAACGACACCCCCATCTGTCTATCCACTG
V T V S A A K T T P P S V Y P L

FIG. 59


TTGGTAGCAACAGCCTCAGATGTCCACTCCCAGGTCCAACTGCAGCAACCTGGGTCTGAA 60
L V A T A S D V H S Q V Q L Q Q P G S E 20
CTGGTGAGGCCTGGAACTTCAGTGAAGCTGTCCTGCAAGGCTTCTGGCTATACATTCTCC 120
L V R P G T S V K L S C K A S G Y T F S 40
CDR1
AGCTACTGGATGCACTGGGTGAAGCAGAGGCCTGGACAAGGCCTTGAGTGGATTGGAAAT 180
S Y W M H W V K Q R P G Q G L E W I G N 60
ATTGACCCTGGTAGTGGTTACACTAACTACGCTGAGAACCTCAAGACCAAGGCCACACTG 240
I D P G S G Y T N Y A E N L K T K A T L 80
CDR2
ACTGTAGACACATCCTCCAGCACAGCCTACATGCAGCTCAGCAGCCTGACATCTGAGGAC 300
T V D T S S S T A Y M Q L S S L T S E D 100
TCTGCAGTCTATTACTGTACAAGCCGATCTACTATGATTACGACGGGATTTGCTTACTGG 360
S A V Y Y C T S R S T M I T T G F A Y W 120
CDR3
GGCCAAGGGACTCTGGTCACTGTCTCTGCAGCTACAACAACAGCCCCATCTGTCTATCCA 420
G Q G T L V T V S A A T T T A P S V Y P 160
CTGGCC
L A

FIG. 60


AATGACTTCGGGTTGAGCTGGGTTTTTATTATTGTTCTTTTAAAAGGGGTCCGGAGTGAA 60
N D F G L S W V F I I V L L K G V R S E 20
GTGAGGCTTGAGGAGTCTGGAGGAGGCTGGGTGCAACCTGGAGGATCCATGAAACTCTCC 120
V R L E E S G G G W V Q P G G S M K L S 40
TGTGTAGCCTCTGGATTTACTTTCAGTAATTACTGGATGACTTGGGTCCGCCAGTCTCCA 180
C V A S G F T F S N Y W M T W V R Q S P 60
CDR1
GAGAAGGGGCTTGAGTGGGTTGCTGAAATTCGATTGAGATCTGAAAATTATGCAACACAT 240
E K G L E W V A E I R L R S E N Y A T H 80
CDR2
TATGCGGAGTCTGTGAAAGGGAAATTCACCATCTCAAGAGATGATTCCAGAAGTCGTCTC 300
Y A E S V K G K F T I S R D D S R S R L 100
TACCTGCAAATGAACAACTTAAGACCTGAAGACAGTGGAATTTATTACTGTACAGATGGT 360
Y L Q M N N L R P E D S G I Y Y C T D G 120
CTGGGACGACCTAACTGGGGCCAAGGGACTCTGGTCACTGTCTCTGCAGCCAAAACGACA 420
L G R P N W G Q G T L V T V S A A K T T 140
CDR3
CCCCCATCTGTCTATCCACTGGCCCCTTGTGTA
P P S V Y P L A P C V

FIG. 61

CDR1 Comparisons

1G8	$1gG_{1k}$	Middle	G F N I K D Y Y I H
2H9	$1gG_{1k}$	N-Term.	G F T F S N Y W M T
4A10	$1gG_{2ak}$	N-Term.	G Y T F S S Y W M H

CDR2 Comparisons

1G8	$1gG_{1k}$	W I D P E N G D T E F V P K F Q G
2H9	$1gG_{1k}$	E I R L R S E N Y A T H Y A E S V K G
4A10	$1gG_{2ak}$	N I D P G S G Y T N Y A E N L K T

CDR3 Comparisons

1G8	$1gG_{1k}$	G G F
2H9	$1gG_{1k}$	L G R P N
4A10	$1gG_{2ak}$	R S T M I T T G F A Y

FIG. 62



FIG. 63



1. Prostate
2. LAPC-4 AD
3. LAPC-4 AI
4. LAPC-9 AD
5. LAPC-9 AI

6. PANC-1
7. BxPC-3
8. HPAC
9. Capan-1

FIG. 64



1. LAPC-4 AD
2. LAPC-9 AI
3. LNCaP
4. LNCaP-PSCA

5. HPAC
6. Capan-1
7. ASPC-1


LAPC-9
Tumor volume (mm 3)
1200
900
600
300
0
19
22
26
29
34
39
42
Days
Mouse IgG
1G8


PC-3
Tumor volume (mm 3)
300
200
100
0
25
29
33
39
Days
Mouse IgG
1G8

FIGURE 65

A)



	9	15	22	30	37	44	51
PBS	2.3	20	119	386	583		
1G8	2.8	8.3	16.2	71	198	234	351

Mean PSA Levels (ng/ml)

B)



	13	21	27	34
PBS	78	412	422	418
1G8	64	268	294	315

Mean PSA Levels (ng/ml)

Figure 66

A)


100
80
60
40
20
0
% Survival
0
15
30
45
60
75
90
105
Days
PBS
1G8

B)


100
80
60
40
20
0
% Survival
0
20
40
60
80
100
120
Days
PBS
1G8

Figure 67

A)



	9	16	22	29	36
PBS	23	126	322	519	555
3C5	3	21	95	290	428

Mean PSA Levels (ng/ml)

B)



	7	14	21	28
PBS	14	107	329	449
3C5	16	63	229	351

Mean PSA Levels (ng/ml)

Figure 68

A)


100
80
60
40
20
0
% Survival
0
25
50
75
100
125
Days
PBS
3C5

B)


100
80
60
40
20
0
% Survival
0
10
20
30
40
50
60
70
80
90
Days
PBS
3C5

Figure 69



	9	15	23	29	36	43
PBS	149	343	385	458	533	601
Dox	148	250	337	371	473	577
1G8	135	208	235	276	408	479
1G8 + Dox	129	205	242	260	359	387

Figure 70

PSCA 3C5 MAb Localizes within LAPC9AD Xenograft Tissue

3C5 Treated



mIgG Treated



Figure 71

3C5 Anti-PSCA MAb is Localized to Established LAPC-9 Tumors



Western blot developed with α-mIgG/κ

Figure 72

SPECIFIC TARGETING OF THE 1G8 ANTI-PSCA MAb TO ESTABLISHED LAPC-9 TUMORS



- α-MIgG Western

Method: Mice bearing established LAPC-9 tumors (>100 mm^3) were injected with either mIgG or the anti-PSCA MAb 1G8. Tumors were harvested a week later and made into protein lysates for Western analysis.

Figure 73